

Click to view price, real time Inventory,
Delivery & Lifecycle Information ;

750110056



Würth Elektronik

Pulse Transformers UtPMA MID TRANSFMR TOR4.8/2.3/1.3 SMT

Any questions, please feel free to contact us.

info@kaimte.com

CUSTOMER TERMINAL	RoHS	LEAD(Pb)-FREE
Sn98%, Cu2%	Yes	Yes



ELECTRICAL SPECIFICATIONS @ 25°C

PARAMETER	TEST COND
⑥E D.C. RESISTANCE 1-2	@20°C
⑥E D.C. RESISTANCE 4-3	@20°C
⑥E⑥C INDUCTANCE 1-2	10kHz, 100m
⑥E⑥C INDUCTANCE 4-3	10kHz, 100m
⑥E⑥B DIELECTRIC 1-4	5000VDC, 1
⑥E⑥B TURNS RATIO	(6-4):(1-

⑥B **GENERAL SPECIFICATIONS:**
 OPERATING TEMPERATURE RANGE: -20°C to +100°C
 STORAGE TEMPERATURE RANGE: -40°C to +125°C
 COPLANARITY: All 6 terminals must lie on the same plane of Surface A after lead tinning.

Wire insulation & RoHS status not affected by wire color.
 Wire insulation color may vary depending on availability.

DETAILS SUBJECT TO CHANGE

REV.	DATE	Packaging Specifications		Tolerances unless otherwise specified: Angles: ±1° Decimals: ±.005 [.13] Fractions: ±1/64 Footprint: ±.005 [.13]	DRAWING TITLE TRANSFORMER
6E	8/18	Method: Tape & Reel			
6D	10/15	PKG-0548			
6C	2/11	www.we-online.com/midcom			
6B	10/10	SEE REVISION SHEET FOR REVISION LEVEL			



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Wurth Elektronik:](#)

[750110056](#)